

#### To Whom It May Concern:

Please be advised that the Summit Towers is equipped with the following safety features.

- 1. Monitored fire alarm
- 2. Hard wired smoke detectors
- 3. Fire Sprinklers in all common areas
- 4. Fire Sprinklers in all units
- 5. 24 hour security
- 6. Hurricane shutters in most units

#### Attached please find:

- 1. Certificate of Liability Insurance
- 2. City of Hollywood-Certificate of Completion (2)
- 3. Fire Alarms and Fire Sprinklers Monitoring- Fire Alarm Systems & Security, Inc.
- 4. Certificate of Fire Alarm and Installation- Bass United (2)
- 5. Commercial Mitigation Verification Affidavit (2)
- 6. Kent Security letter

If any additional information is requested, please fax all requests to (954) 925 0123.

Thank you,

Brian Kushner, LCAM



#### CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 6/4/2012

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

Pf	RODUCER	Commercial Lines - (305) 443-48	86			CONTA NAME:	vveiis rar		Services USA, Inc.		
		Wells Fargo Insurance Services L		Inc.		PHONE (A/C, No	, Ext); 305-42	8-0015	FAX (A/C, No);	305-44	3-0154
		2601 South Bayshore Drive, Suite				E-MAIL ADDRE		erts@wellsfa			
		Coconut Grove, FL 33133	. 100			PRODU CUSTO	VER ID #:	49411			
<u> </u>		Cocollut Glove, FL 33133							DING COVERAGE		NAIC#
"	SURED	Summit Towers Condominium A	ssoci	ation.	inc.	INSURE		gton Insurance	e Company		23620
				a., o.,		INSURE	INSURER B: See attached INSURER C: Continental Casualty Company 2044				
		c/o The Continental Group				INSURE		nental Casual	ty Company		20443
						INSURE					
		1201 South Ocean Drive Hollywo	od , l	FL 33	019	INSURE					
ᄂ	OVERA	AGES CER	TIFIC	ATE	NUMBER: 202604	INSURE	RF:		REVISION NUMBER: 5	See held	
_		TO CERTIFY THAT THE POLICIES				VE BEE	N ISSUED TO				
l	INDICAT	CED. NOTWITHSTANDING ANY RE	QUIF	REME	NT, TERM OR CONDITION	OF AN'	Y CONTRACT	OR OTHER I	DOCUMENT WITH RESPE	CT TO	WHICH THIS
		ICATE MAY BE ISSUED OR MAY F BIONS AND CONDITIONS OF SUCH I								O ALL 1	THE TERMS,
IN: LT				SUBR WVD				POLICY EXP (MM/DD/YYYY)	Limit		-
<u> </u>	Lacre	RAL LIABILITY	INSK	WVD					EACH OCCURRENCE	s	1,000,000
۱′		COMMERCIAL GENERAL LIABILITY			289B005790		6/01/2012	6/01/2013	DAMAGE TO RENTED PREMISES (Ea occurrence)	s	100,000
		CLAIMS-MADE OCCUR							MED EXP (Any one person)	s	5,000
									PERSONAL & ADV INJURY	s	1,000,000
	П								GENERAL AGGREGATE	s	2,000,000
	GENI	L AGGREGATE LIMIT APPLIES PER:							PRODUCTS - COMP/OP AGG	\$	Included
		POLICY PRO- JECT LOC								\$	
Г	AUTO	MOBILE LIABILITY				•			COMBINED SINGLE LIMIT	\$	
		ANY AUTO							(Ea accident)		
		ALL OWNED AUTOS							BODILY INJURY (Per person)  BODILY INJURY (Per accident)	\$	
		SCHEDULED AUTOS							PROPERTY DAMAGE		
	1	HIRED AUTOS							(Per accident)	\$	
	_    ·	NON-OWNED AUTOS								\$	
L					***					\$	
l	$\vdash$	UMBRELLA LIAB OCCUR							EACH OCCURRENCE	\$	
l		EXCESS LIAB CLAIMS-MADE							AGGREGATE	\$	
l	'	DEDUCTIBLE								\$	
⊩		RETENTION \$ KERS COMPENSATION			<u></u>				I MAC STATUL LOTH	\$	
l	AND	EMPLOYERS' LIABILITY Y/N		İ					WC STATU- OTH- TORY LIMITS ER	<u> </u>	
l	OFFIC	PROPRIETOR/PARTNER/EXECUTIVE CER/MEMBER EXCLUDED?	N/A						E.L. EACH ACCIDENT	\$	
l	(Man	datory in NH) , describe under :RIPTION OF OPERATIONS below							E.L. DISEASE - EA EMPLOYEE	<del> </del>	
Н		CRIPTION OF OPERATIONS below erty/Hazard			See Attached		06/01/2012	06/01/2013	E.L. DISEASE - POLICY LIMIT See Attached	\$	
l	-	···,··.			000711100		00/01/2012	00,0 1,20 10	- Dod Maddidd		
┢	ESCRIPTION	ON OF OPERATIONS / LOCATIONS / VEHIC	IFS (	Attach	ACORD 101 Additional Remarks	Schodula	If more space is	required)			
ı		Towers Condominium Association	,		Addition to the Additional Administra	001100001	, ii more apace i	a required)			
		ith Ocean Drive									
1	łollywoo	d, Florida 33019									
_	ERTIF	CATE HOLDER				CANO	ELLATION	•			
Ť							JEEL/11/014				
	MASTEI	R COPY				THE	EXPIRATION	N DATE TH	ESCRIBED POLICIES BE C EREOF, NOTICE WILL BY PROVISIONS.		
						AUTHO	RIZED REPRESE	ENTATIVE GOA	wSpalm		

#### WINDSTORM

INSURANCE CARRIER: Citizens Property Insurance Corp

POLICY NUMBER: 1453304

[ ] Coverage Included in Property/Hazard Policy [ ] See Property/Hazard Schedule for Locations & Limits [ ] Replacement Cost

 Bidg
 Location
 Limit
 # Units
 Hurricane
 Other Wind
 Coins %
 Policy Period

 Ded
 Ded
 Ded

 1&2
 1201 South Ocean Dr. (North & South
 \$ 95,912,547
 567
 3%
 \$ 1,000
 100
 6/1/2012-6/1/2013

Towers), Hollywood, FL 33019

**EXCESS FLOOD** 

Not Covered

#### CRIME / EMPLOYEE DISHONESTY

INSURANCE CARRIER:

Liberty Mutual Insurance Co.

POLICY NUMBER:

CAC001699-0211

POLICY PERIOD:

Effective Date: 6/1/2012

Expiration Date: 6/1/2013

Limit: \$ 2,000,000

#### **DIRECTORS & OFFICERS LIABILITY**

INSURANCE CARRIER:

Liberty Insurance Underwriters, Inc.

POLICY NUMBER:

CAP008595-0112

POLICY PERIOD:

Effective Date: 6/1/2012

Expiration Date: 6/1/2013

Limit: \$ 1,000,000

# City of Hollywood, Florida Department of Building and Engineering Services Building Division

#### Certificate of Completion

Owner or Occupant: COMMON AREA-ATTENTION:PRESIDENT

Folio Number: 514213BC0000
Address: 1201 S OCEAN DR

Legal Description:

Occupancy Classification: Type of Construction:

Maximum Assembly Capacity:

Permit Type: REROOF - FLAT

Master Permit: B08-101778

Subordinate Permits:

Comments:



Approvals:
------------

Building: M/A Electrical: N/A Mechanical: N/A Plumbing: N/A

Zoning: N/A Fire: N/A Engineering: N/A Utilities: N/A

Surface Water Management: N/A

Date of Issuance: 7/23/09 Greg O'Hare Chief Building Official

2600 Hollywood Boulevard P.O. Box 229045 Hollywood, Florida 33020-9045 Telephone Number (954) 921-3335

"An Equal Opportunity and Service Provider Agency"

#### City of Hollywood, Florida Department of Building and Engineering Services **Building Division**

#### Certificate of Completion

Owner or Occupant: COMMON AREA-ATTENTION:PRESIDENT

Folio Number: 514213BC0000 Address: 1201 S OCEAN DR

Legal Description:

Occupancy Classification:

Type of Construction:

Maximum Assembly Capacity:

Permit Type: REROOF - FLAT

Master Permit: B08-101779

Subordinate Permits:

Comments:



Approvals:

Building: TML

Electrical: N/A

Mechanical:

N/A

Plumbing: N/A

Zoning:

N/A

Fire:

N/A

Engineering:

N/A

Utilities:

Surface Water Management:

N/A

Greg O'Hare

Date of Issuance:

Chief Building Official

2600 Hollywood Boulevard P.O. Box 229045 Hollywood, Florida 33020-9045 Telephone Number (954) 921-3335

"An Equal Opportunity and Service Provider Agency"







Broward: 954-327-8670 Dade: 305-652-1613

Statewide: 1800-413-FIRE (3473) Fax: 954-327-8674



### Fire Alarm Systems & Security Inc.

Monitoring • Service • Installations • Certification • 24 Hr. Service • C.C.T.V. • Access Control Licensed & Insured • License # EF-0000008

The Summit Condominium Association 1201 S. Ocean Drive Hollywood, Florida

Re; Fire Alarm Systems

To whom it may concern;

The above referenced buildings, Summit Towers, north and south, have fire alarms and fire sprinkler systems monitored by our U.L. listed central station. We dispatch fire departments and or service personnel when alarms or troubles are sent to our company. The building also has a supervised fire sprinkler system throughout the building connected to the building fire alarm.

If you need any other information please feel free to call me. Cell # 954 658 2770

Thank you

Eric A. Neilinger EF-0000008

CET/NICET certified



1480 SW 3rd Street, Suite 9, Pompano Beach, FL 33069 Telephone: (954) 785-7800 - Toll Free: 800-373-2770 - Fax: (954) 785-7804

### CERTIFICATE OF INSTALLATION

This is to certify that we at Bass United Fire & Security, Inc. service and maintain a Fire Alarm System at the following premises:

Name:	Summit Tow	ers Condominiur	n – North Tov	wer	
Address:	1201 South C	Ocean Drive			
City:	Hollywood	_ State:	<u>FL</u>	Zip code:	33019
	The alarm sys	stem is monitored	d for the follo	wing conditio	ns:
Burglary		X Fire		Medica	l Emergency
Auto test		Holdup/Pa	nic	Open/C	lose Supervisory
Radio Su	pervision	2-Way Vo	ice Supervisio	on	
Comments:	The above me	entioned property	y has a Full se	ervice Fire ala	rm contract for
annual inspect	tions and all re	quired maintena	nce 24 hours	a day - 365 da	ys a year.
Including Uni	t:		Unit Owner:		
Service Comp	any: <u>Bass</u> l	United Fire and S	Security	_ Date	:: <u>June 8, 2011</u>
Authorized Re	epresentative:	Stephanie Kou	ry Title:	Contract Ad	lministrator



1480 SW 3rd Street, Suite 9, Pompano Beach, FL 33069 Telephone: (954) 785-7800 - Toll Free: 800-373-2770 - Fax: (954) 785-7804

### CERTIFICATE OF INSTALLATION

This is to certify that we at Bass United Fire & Security, Inc. service and maintain a Fire Alarm System at the following premises:

Name:	Summit Tow	<u>ers Condominium – Sout</u>	h Tower
Address:	1201 South C	Ocean Drive	
City:	Hollywood	State: FL	Zip code: 33019
	The alarm sys	stem is monitored for the	following conditions:
Burglary		X Fire	Medical Emergency
Auto test		Holdup/Panic	Open/Close Supervisory
Radio Suj	pervision	2-Way Voice Supe	ervision
Comments:	The above me	entioned property has a F	ull service Fire alarm contract for
annual inspect	tions and all re	quired maintenance 24 h	ours a day - 365 days a year.
Including Uni		Unit Ow	
Service Comp	oany: <u>Bass</u>	United Fire and Security	Date: <u>June 8, 2011</u>
Authorized Re	epresentative:	Stephanie Koury	Γitle: Contract Administrator

#### **BUILDING TYPE II AND III MITIGATION VERIFICATION AFFIDAVIT**

This affidavit must be completed to capture mitigation features applicable to a Type II (4 to 6 story) or Type III (7 or more story) building. This affidavit is required for either residential condominium unit owners or commercial residential applicants requesting mitigation credits in such buildings.

VIND LOSS I	WITIGA	TION INFORMATION				
PREMISES #:		SUBJECT OF INSURANCE	CE:	Summit Towers		POLICY #:
BUILDING #:	1201	STREET ADDRESS: 12	201 S	Ocean Drive - North Building Holly	wood, FL 330	19
STORIES:	24	BLDG DESCRIPTION:	1201 (	S Ocean Drive - North Building		
BUILDING .	TYPE:	☐ II (4 to 6 stories) 🗵	] III (7	or more stories)		
Terrain Exp	osure (	Category must be provide	d for e	each insured location.		
l hereby certi Florida Buildir	fy that the	e building or unit at the add s (Check One): X Expos	dress sure C	indicated above TERRAIN EXPOS Cor ☐ Exposure B	SURE CATEO	SORY as defined under the
Certification I premises.	below for	purposes of TERRAIN I	EXPO	SURE CATEGORY above does	not require	personal inspection of the
Certification Built On or Aff	n of Wir ter Jan.1,	nd Speed is required to ear 2002).	stablis	sh the basic wind speed of the loca	ition (Comple	te for Terrain B only if Year
I hereby ce speed lines de	rtify that efined un	the basic <b>WIND SPEED</b> der the Florida Building Cod	of th	ne building or unit at the address in BC) is (Check One): ☐ ≥100 or	ndicated abov	ve based upon county wind <b>X</b> ≥120
Certification design establi	n of Wi	nd Design is required withe structure location (Com	hen ti plete i	he buildings is constructed in a m for Terrain B only if Year Built On o	nanner to exc r After Jan.1,	ceed the basic wind speed 2002).
I hereby ce (FBC) WIND	rtify that	the building or unit at the N of (Check One): ☐ ≥1	addre	ess indicated above is designed an □ ≥110 or X ≥120	nd mitigated t	o the Florida Building Code
	or the pu	rpose of establishing the b		WIND SPEED or WIND SPEED D	ESIGN above	e does not require personal
ecify the type	of miti	gation device(s) install	ed:			
<b>X</b>	Roof Co	verings				
[	_	el A (Non FBC Equivale		- Type II or III s that do not meet Level B below.		
	A11 **		lation	s that do not theet Level & below.		
r			_ T\/n	e II or III		
[	▼ Lev	el B (FBC Equivalent) -	- Typ f the fo	e II or III ollowing conditions and are one of t	the following t	ypes;
[	Leve Roof 1.	el B (FBC Equivalent) - coverings that satisfy all of Built-Up	- Typ f the fo	pe II or III ollowing conditions and are one of t	the following t	ypes:
l	X Lev	el B (FBC Equivalent) - coverings that satisfy all of	tne to	ee II or III ollowing conditions and are one of t	the following f	ypes:

MIT-BT II & III (8/2008)

8. Asphalt roof coverings installed in accordance ASTM D 3161 (modified for 110 mph) or Miami Dade County PA

All mechanical equipment must be adequately tied to the roof deck to resist overturning and sliding during high winds. Any flat roof covering with flashing or coping must be mechanically attached to the structure with face fasteners (no clip/cleat systems); and roof coverings on flat roofs must be 10 years old or less.

6. Wood shakes in good condition, attached with at least two mechanical fasteners

7. Ballasted roof designed to meet the design wind speed requirements

5. Asphalt roll roofing

107-95.

#### **BUILDING TYPE II AND III MITIGATION VERIFICATION AFFIDAVIT**

R.	pof Deck Attachment
Г	Level A – Wood or Other Deck Type II only
	Roof deck composed of sheets of structural panels (plywood or OSB).
	Or
	Architectural (non-structural) metal panels that require a solid decking to support weight and loads.  Or
	Other roof decks that do not meet Levels B or C below.
l	] Level B – Metal Deck Type II or III
_	Metal roof deck made of structural panels that span from joist to joist.
Σ	Level C – Reinforced Concrete Roof Deck Type, II or III
	A roof structure composed of cast-in-place or pre-cast structural concrete designed to be self-supporting and integrally attached to wall/support system.
S S	econdary Water Resistance
	Underlayment N/A
	A self-adhering polymer modified bitumen roofing underlayment (this tabber sheets with peel and stick underside located beneath the roof covering and normal felt underlayment) with a minimum width of 6" meeting the requirements of ASTM D 1970 installed over all phywood/OSB joints to protect from water intrusion. All secondary water resistance products must be included per the manufacturer's recommendations. Roofing felt or similar paper based products are not acceptable for secondary water resistance.
	Foamed Adhesive
	A foamed polyurethane sheathing adhesive applied over all joints in the roof sheathing to protect interior from water
	intrusion.
	pening Protection N/A
o	pening Protection  N/A  Class A (Hurricane Impact) — All glazed openings (windows, skylights, sliding glass doors, door with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile ( 9 lb.) impact requirement of:
	Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant
	Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile ( 9 lb.) impact requirement of:
	Class A (Hurricane Impact) — All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shuttes), impact resistant doors, and/or impact resistant glazing that meet the Large Missile ( 9 lb.) impact requirement of:  SSTD12;
	Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile ( 9 lb.) impact requirement of:  SSTD12;  ASTM E 1886 and ASTM E 1996;
o	Class A (Hurricane Impact) — All glazed openings (windows, skylights, sliding glass doors, door with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile ( 9 lb.) impact requirement of:  SSTD12;  ASTM E 1886 and ASTM E 1996;  Miami-Dade PA 201, 202, and 203;  Florida Building Code TAS 201, 202 and 203
	Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile ( 9 lb.) impact requirement of:  SSTD12;  ASTM E 1886 and ASTM E 1996;  Miami-Dade PA 201, 202, and 203;
	Class A (Hurricane Impact) — All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile ( 9 lb.) impact requirement of:  SSTD12;  ASTM E 1886 and ASTM E 1996;  Miami-Dade PA 201, 202, and 203;  Florida Building Code TAS 201, 202 and 203.  All glazed openings less than 30 feet above grade shall meet the Large Missile Test standard referenced above. All glazed openings between 30 and 60 feet above grade must meet the Small Missile Test of the respective standard. For buildings located in the HVHZ (High Volctity Hurricane Zone) all glazed openings greater than 60 feet above
	Class A (Hurricane Impact) — All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile ( 9 lb.) impact requirement of:  SSTD12;  ASTM E 1886 and ASTM E 1996;  Miami-Dade PA 201, 202, and 203;  Florida Building Code TAS 201, 202 and 203.  All glazed openings less than 30 feet above grade shall meet the Large Missile Test standard referenced above. All glazed openings between 30 and 60 feet above grade must meet the Small Missile Test of the respective standard. For buildings located in the HVHZ (High Volctity Hurricane Zone) all glazed openings greater than 60 feet above
	Class A (Hurricane Impact) — All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile ( 9 lb.) impact requirement of:  SSTD12;  ASTM E 1886 and ASTM E 1996;  Miami-Dade PA 201, 202, and 203;  Florida Building Code TAS 201, 202 and 203.  All glazed openings less than 30 feet above grade shar meet the Large Missile Test standard referenced above. All glazed openings between 30 and 60 feet above grade must meet the Small Missile Test of the respective standard. For buildings located in the HVHZ (High Velocity Hurricane Zone) all glazed openings greater than 60 feet above grade must also meet the Small Missile Test of the respective standard.  Class B (Basic Impact) — All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant

### CITIZENS PROPERTY INSURANCE CORPORATION BUILDING TYPE II AND III MITIGATION VERIFICATION AFFIDAVIT

#### CERTIFICATION

I certify that I am (CHECK ONE OF THE FOLLOWING):

🔀 a resident licensed General, or Building Contractor, 🗌 a Licensed Building Inspector, 🔲 a Registe	red
Architect, $\square$ an Engineer in the State of Florida, $\square$ a Building Code Official (who is duly authorized by the St	ate
of Florida or its county's municipalities to verify building code compliance).	

I also certify that I personally inspected the premises at the Location Address listed above on the inspection date provided on this Affidavit. In my professional opinion, based on my knowledge, information and belief, I certify that the above statements are true and correct.

This Affidavit and the information set forth in it are provided solely for the purpose of verifying that certain structural or physical characteristics exist at the Location Address listed above and for the purpose of permitting the Named Insured to receive a property insurance premium discount on insurance provided by Citizens Property Insurance Corporation and for no other purpose. The undersigned does not make a health or safety certification or warranty, express or implied, of any kind, and nothing in this Affidavit shall be construed to impose on the undersigned or on any entity to which the undersigned is affiliated any liability or obligation of any nature to the named insured or to any other person or entity.

Name of Company:	Dennis Higginbotham for Don Mey	ler Inspections	Phone:	(954) 749-7099
Name of Inspector	Dennis Higginbotham	License Type Building	License #	CBC1251874
Inspection Date:	5/30/2012			
Signature:	-Dr. 7 76m		Date:	5/30/2012
Applicant's Signature:	Mall	as Prosideit	_ Date:	5/30/2012

<sup>&</sup>quot;Any person who knowingly and with intent to injure, defraud, or deceive any insurer files a statement of claim or an application containing any false, incomplete, or misleading information is guilty of a felony of the third degree."





#### Inspection Photos 1201 S Ocean Drive - North Building














#### Inspection Photos 1201 S Ocean Drive - North Building






Address

Built-Up Tar & Gravel Roof Covering





Built-Up Tar & Gravel Roof Covering

#### **BUILDING TYPE II AND III MITIGATION VERIFICATION AFFIDAVIT**

This affidavit must be completed to capture mitigation features applicable to a Type II (4 to 6 story) or Type III (7 or more story) building. This affidavit is required for either residential condominium unit owners or commercial residential applicants requesting mitigation credits in such buildings.

WIND LOSS MITIGATION INFORMATION

PREMISES #:	!	SUBJECT OF INSURANCE: Summit Towers	POLICY#:
BUILDING #:	1201	STREET ADDRESS: 1201 S Ocean Drive - South Building Hollywood, FL 33	
# STORIES:	24	BLDG DESCRIPTION: 1201 S Ocean Drive - South Building	
BUILDING TY		☐ II (4 to 6 stories) ※ III (7 or more stories)	
Terrain Expo	sure (	Category must be provided for each insured location.	
I hereby certify	that th	e building or unit at the address indicated above TERRAIN EXPOSURE CATE is (Check One):    Exposure B	GORY as defined under the
_		r purposes of TERRAIN EXPOSURE CATEGORY above does not require	personal inspection of the
Certification ( Built On or After		nd Speed is required to establish the basic wind speed of the location (Comple	ete for Terrain B only if Year
I hereby certi	ify tha	t the basic <b>WIND SPEED</b> of the building or unit at the address indicated aborder the Florida Building Code (FBC) is (Check One): ☐ ≥100 or ☐ ≥110 or	
		nd Design is required when the buildings is constructed in a manner to extend the structure location (Complete for Terrain B only if Year Built On or After Jan.1	
		t the building or unit at the address indicated above is designed and mitigated N of (Check One): ☐ ≥100 or ☐ ≥110 or ☒ ≥120	to the Florida Building Code
Certification for inspection of the		rpose of establishing the basic WIND SPEED or WIND SPEED DESIGN aboveses.	re does not require personal
Snecify the type o	of miti	gation device(s) installed:	
opecity the type c	<u> </u>	gation device(s) instance.	•
Ro	of Co	verings	
		el A (Non FBC Equivalent) – Type II or III	
<u>L</u> .	,	por cover types and configurations that do not meet Level B below.	
X		el B (FBC Equivalent) - Type II or III f coverings that satisfy all of the following conditions and are one of the following Built-Up	types:
	2.	Modified Bitumen	
	3.	Sprayed Polyurethane foam	
	4.	Liquid membrane applied over concrete	
	5.	Asphalt roll roofing	
	6.	Wood shakes in good condition, attached with at least two mechanical fastener	s
	7.	Ballasted roof designed to meet the design wind speed requirements	-
	8.	Asphalt roof coverings installed in accordance ASTM D 3161 (modified for 110 107-95.	mph) or Miami Dade County PA
		All mechanical equipment must be adequately tied to the roof deck to resist overturning an roof covering with flashing or coping must be mechanically attached to the structure with factor for coverings on flat roofs must be 40 years old or less	d sliding during high winds. Any flat ice fasteners (no clip/cleat systems);

#### **BUILDING TYPE II AND III MITIGATION VERIFICATION AFFIDAVIT**

$\boxtimes$	of Deck Attachment	l
	Level A – Wood or Other Deck Type II only  Roof deck composed of sheets of structural panels (plywood or OSB).  Or  Architectural (non-structural) metal panels that require a solid decking to support weight and loads.  Or  Other roof decks that do not meet Levels B or C below.	
	Level B – Metal Deck Type II or III	
	Metal roof deck made of structural panels that span from joist to joist.	
	Level C – Reinforced Concrete Roof Deck Type, II or III  A roof structure composed of cast-in-place or pre-cast structural concrete designed to be self-supporting integrally attached to wall/support system.	and
	condary Water Resistance	
<u> </u>	Underlayment N/A	
	A self-adhering polymer modified bitumen roofing underlayment (thin-tabber sheets with peel and stick underlayment) with a minimum width of 6" meeting requirements of ASTM D 1970 installed over all physood/OSB joints to protect from water intrusion. All secondary resistance products must be installed per the manufacturer's recommendations. Roofing felt or similar based products are not accordable for secondary water resistance.	g the ndary
	Foamed Adhesive  A foamed polyurethane sheathing adhesive applied over all joints in the roof sheathing to protect interior from intrusion.	water
	pening Protection N/A	
	cening Protection  N/A  Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, door with win etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact residences, and/or impact resistant glazing that meet the Large Missile (9 lb.) impact requirement of:	dows,
	Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, door with win etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact residences, and/or impact resistant glazing that meet the Large Missile ( 9 lb.) impact requirement of:  SSTD12;	dows, sistant
	Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with win etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact residences, and/or impact resistant glazing that meet the Large Missile ( 9 lb.) impact requirement of:  SSTD12;  ASTM E 1886 and ASTM E 1996;	dows, sistant
	Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, door with win etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shuttes), impact residences, and/or impact resistant glazing that meet the Large Missile (9 lb.) impact requirement of:  SSTD12;  ASTM E 1886 and ASTM E 1996;  Miami-Dade PA 201, 202, and 203;	dows, sistant
	Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with win etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact residences, and/or impact resistant glazing that meet the Large Missile ( 9 lb.) impact requirement of:  SSTD12;  ASTM E 1886 and ASTM E 1996;	dows, sistant
	Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, door with win etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shuttes), impact residences, and/or impact resistant glazing that meet the Large Missile (9 lb.) impact requirement of:  SSTD12;  ASTM E 1886 and ASTM E 1996;  Miami-Dade PA 201, 202, and 203;	re. All
	Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, door with win etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant glazing that meet the Large Missile ( 9 lb.) impact requirement of:  SSTD12;  ASTM E 1886 and ASTM E 1996;  Miami-Dade PA 201, 202, and 203;  Florida Building Code TAS 201, 202 and 203.  All glazed openings less than 30 feet above grade shall meet the Large Missile Test standard referenced above glazed openings between 30 and 60 feet above grade must meet the Small Missile Test of the respective stal For buildings located in the HVHZ (High Velocity Hurricane Zone) all glazed openings greater than 60 feet grade must also meet the Small Missile Test of the respective standard.  Class B (Basic Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with windows, less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile ( 4.5 lb.) impact requirements of:	re. All ndard, above
	Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with win etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact residoors, and/or impact resistant glazing that meet the Large Missile ( 9 lb.) impact requirement of:  SSTD12;  ASTM E 1886 and ASTM E 1996;  Miami-Dade PA 201, 202, and 203;  Florida Building Code TAS 201, 202 and 203.  All glazed openings less than 30 feet above grade shan meet the Large Missile Test standard referenced above glazed openings between 30 and 60 feet above grade must meet the Small Missile Test of the respective stan For buildings located in the HVHZ (High Velocity Hurricane Zone) all glazed openings greater than 60 feet grade must also meet the Small Missile Test of the respective standard.  Class B (Basic Impact) — All glazed openings (windows, skylights, sliding glass doors, doors with windows, less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant	re. All ndard, above

#### **BUILDING TYPE II AND III MITIGATION VERIFICATION AFFIDAVIT**

#### CERTIFICATION

I certify that I am (CHECK ONE OF THE FOLLOWING):

☑ a resident licensed General, or Building Contractor, ☐ a Licensed Building Inspector, ☐ a Registered Architect, ☐ an Engineer in the State of Florida, ☐ a Building Code Official (who is duly authorized by the State of Florida or its county's municipalities to verify building code compliance).

I also certify that I personally inspected the premises at the Location Address listed above on the inspection date provided on this Affidavit. In my professional opinion, based on my knowledge, information and belief, I certify that the above statements are true and correct.

This Affidavit and the information set forth in it are provided solely for the purpose of verifying that certain structural or physical characteristics exist at the Location Address listed above and for the purpose of permitting the Named Insured to receive a property insurance premium discount on insurance provided by Citizens Property Insurance Corporation and for no other purpose. The undersigned does not make a health or safety certification or warranty, express or implied, of any kind, and nothing in this Affidavit shall be construed to impose on the undersigned or on any entity to which the undersigned is affiliated any liability or obligation of any nature to the named insured or to any other person or entity.

Name of Company: Dennis Higginbotham for Don Meyler Inspections (954) 749-7099 Phone: Dennis Higginbotham License Type Building CBC1251874 Name of Inspector License # 5/30/2012 Inspection Date: 5/30/2012 Signature: Date: Presided 5/30/2012 Applicant's Signature:

<sup>&</sup>quot;Any person who knowingly and with intent to injure, defraud, or deceive any insurer files a statement of claim or an application containing any false, incomplete, or misleading information is guilty of a felony of the third degree."



# Inspection Photos 1201 S Ocean Drive - South Building












Left


Right




## Inspection Photos 1201 S Ocean Drive - South Building









Built-Up Tar & Gravel Roof Covering

Built-Up Tar & Gravel Roof Covering



October 13, 2010

To whom it may concern:

Kent Security of Palm Beach is currently contracted to provide the Summit Towers H.O.A. 742 hours per week of security guard service. We provide 24 hour coverage at both lobby concierge desks as well as an officer who patrols the property 24 hours 7 days per week. In addition, we also have an officer located in the garage 24 hours a day 7 days per week. The concierge, rovers, and garage officers all work 365 days per year. If you have any questions regarding this service please contact the management office.

Kent Security of Palm Beach

2310 West Oakland Park Blvd. Fort Lauderdale, FL 33301

(954) 486-3292